



## Bearings Housings



Serial №	Diameter of the aperture	Sizes, mm			Weight
	mm	L	H	H2	kg
SN 205	25	165	40	75	1,10
SN 206	30	185	50	90	1,70
SN 207	35	185	50	95	1,90
SN 208	40	205	60	110	2,60
SN 209	45	205	60	112	2,80
SN 210	50	205	60	115	3,00
SN 211	55	255	70	130	4,50
SN 212	60	255	70	135	5,00
SN 213	65	275	80	150	5,60
SN 214	70	275	80	155	6,20
SN 215	75	280	80	155	7,00
SN 216	80	315	95	175	9,00
SN 217	85	320	95	185	10,00
SN 218	90	345	100	195	13,00
SN 219	95	345	112	210	15,00
SN 220	100	380	112	223	19,00
SN 222	110	410	125	245	20,00
SN 224	120	410	140	270	25,00
SN 226	130	445	150	290	30,00
SN 228	140	500	150	305	38,00
SN 230	150	53	160	325	46,00

Serial №	Diameter of the	Sizes, mm	Weight
----------	-----------------	-----------	--------

	aperture				kg
	mm	L	H	H2	
SN 505	20	165	40	75	1,20
SN 506	25	185	50	90	1,70
SN 507	30	185	50	95	2,00
SN 508	35	205	60	110	2,70
SN 509	40	205	60	112	2,90
SN 510	45	205	60	115	3,20
SN 511	50	255	70	130	4,20
SN 512	55	255	70	135	4,80
SN 513	60	275	80	150	5,60
SN 515	65	280	80	155	6,90
SN 516	70	315	95	175	8,80
SN 517	75	320	95	185	9,50
SN 518	80	345	100	195	13,00
SN 519	85	345	112	210	15,00
SN 520	90	380	112	223	19,00
SN 522	100	410	125	245	20,20
SN 524	110	410	140	270	23,20
SN 526	115	445	150	290	29,00
SN 528	125	500	150	305	36,50
SN 530	135	530	160	325	43,60

Serial №	Diameter of the aperture	Sizes, mm			Weight
	mm	L	H	H2	kg
SN 605	20	185	50	90	1,60
SN 606	25	185	50	95	1,80
SN 607	30	205	60	110	2,60
SN 608	35	205	60	115	2,90
SN 609	40	255	70	130	4,10
SN 610	45	255	70	135	4,70
SN 611	50	275	80	150	5,80
SN 612	55	280	80	155	6,50
SN 613	60	315	95	175	8,70
SN 615	65	345	100	195	11,30
SN 616	70	345	112	212	12,60
SN 617	75	380	112	223	15,00
SN 618	80	380	112	230	22,00
SN 619	85	410	125	250	26,30
SN 620	90	410	140	270	31,50

<b>SN 622</b>	<b>100</b>	<b>450</b>	<b>150</b>	<b>300</b>	<b>42,00</b>
<b>SN 624</b>	<b>110</b>	<b>530</b>	<b>160</b>	<b>320</b>	<b>60,00</b>
<b>SN 626</b>	<b>115</b>	<b>550</b>	<b>170</b>	<b>340</b>	<b>63,20</b>
<b>SN 628</b>	<b>125</b>	<b>610</b>	<b>180</b>	<b>365</b>	<b>94,50</b>
<b>SN 630</b>	<b>135</b>	<b>650</b>	<b>190</b>	<b>385</b>	<b>105,00</b>